



**COD. WF001
WATER FILTER ADAPTABLE TO:**

**Samsung
G.E.
Whirlpool
Liebherr
LG
Daewoo**

Characteristics :

**Material : Active Granular Carbon
Operating Temp : Min 4,5°C Max 37,8°C
Working Pressure : Min 2,07bar Max 8,27 bar
Flow Rate : 2,8 l/min
Capacity : 5670 Litres -Approx 6 months
Master Q.TY 24 PCS Packaging: Single Box**



**COD. WF002
WATER FILTER ADAPTABLE TO :**
Samsung

Characteristics:

**Material : Active Granular Carbon
Operating Temp : Min 0,6°C Max 37,8°C
Working Pressure : Min 2,07 bar Max 8,27 bar
Flow Rate : 1,9 l/min
Capacity : 1500 Litres -Approx 6 months
Master Q.TY 24 PCS Packaging: Single Box**



**COD. WF003
WATER FILTER ADAPTABLE TO :**

**Bosch
Siemens
Gaggenau
Neff**


Characteristics:

**Material : Carbon Block
Operating Temp : Min 0,6°C Max 37,8°C
Working Pressure : Min 2,07 bar Max 8,27 bar
Flow Rate : 1,9 l/min
Capacity : 1500 Litres -Approx 6 months
Master Q.TY 24 PCS Packaging: Bulk**



COD. WF004
WATER FILTER ADAPTABLE TO :
Whirlpool
Smeg
Hotpoint/Ariston
Bauknecht

Characteristics:
Material : Carbon Block
Operating Temp : Min 0,6°C Max 37,8°C
Working Pressure : Min 2,07 bar Max 8,27 bar
Flow Rate : 1,9 l/min
Capacity : 1500 Litres - Approx 6 months
Master Q.TY 60 PCS Packaging: Single box




COD. WF005
Universal for all U.S. Refrigerator
Side by Side

Characteristics :
Material : Active Granular Carbon
Operating Temp : Min 4,5°C Max 37,8°C
Working Pressure : Max 8,27 bar
Flow Rate : 2,8 l/min
Capacity : 5670 Litres -Approx 6 months
Master Q.TY 60 PCS Packaging: Bulk



COD. WF007
WATER FILTER ADAPTABLE TO :
Ariston- Indesit
Hotpoint/Ariston
Hotpoint/Scholtés
Daewoo

Characteristics :
Material : Active Granular Carbon
Operating Temp : Min 4,5°C Max 37,8°C
Working Pressure : Max 8,27 bar
Flow Rate : 2,8 l/min
Capacity : 5670 Litres -Approx 6 months
Master Q.TY 24 PCS Packaging: Single Box



COD. WF008
WATER FILTER ADAPTABLE TO :
Samsung
Maytag

Characteristics :

Material : Carbon Block
Operating Temp : Min 0,6°C Max 38°C
Working Pressure : Min 1,38 bar Max 8,62 bar
Flow Rate : 1,9 l/min
Capacity : 1136 Litres -Approx 6 months
Master Q.TY 50 PCS Packaging: Single Box



COD. WF009
ANTIBACTERIAL FILTER ADAPTABLE TO:
Whirlpool

Characteristics :

Material : Antibacterial Filter
2 Time Strip 6 months
Master Q.TY 150 PCS
Packaging: 2 pcs in Box



COD. WF010
WATER FILTER ADAPTABLE TO :
LG
Samsung

Characteristics:

Material : Carbon Block
Operating Temp : Min 0,6°C Max 37,8°C
Working Pressure : Min 2,07 bar Max 8,27 bar
Flow Rate : 1,9 l/min
Capacity : 3000 Litres -Approx 6 months
Master Q.TY 24PCS Packaging: Single box



COD. WF015
WATER FILTER ADAPTABLE TO :
Brita
Laica
Hoover

Characteristics :
Material : Active Granular Carbon
Capacity : 150 Litres
Master Q.TY 24 PCS
Packaging: 3 Pcs in box



COD. WF016
WATER FILTER ADAPTABLE TO :
Brita
Laica
Kenwood / Ariete

Characteristics :
Material : Active Granular Carbon
Capacity : 150 Litres
Master Q.TY 24 PCS
Packaging: 3 Pcs in box



COD. WF020
Universal Kit For U.S. Refrigerator

Characteristics:
Material : PE
Master Q.TY 36PCS
Packaging: Single box

COD. WF021

**Universal Tube for U.S.Refrigerator
Roll of 20 mt**



Characteristics:

Material : PE

Master Q.TY 100 PCS

COD. WF022

Kit Universal Quick Fitting



Characteristics :

Material : PE

Master Q.TY 200 PCS


Packaging: Polybag

COD. WF025

WATER FILTER ADAPTABLE TO :

Philips

Saeco



Characteristics:

Material : Resin 80 ml

Service Life 2 month

Master Q.TY 70 PCS

Packaging: Single box



COD. WF030
WATER FILTER ADAPTABLE TO :
Hoover / Candy
Electrolux

Characteristics:
Material : Carbon Block
Operating Temp : Min 0,6°C Max 37,8°C
Working Pressure: Min2,07bar Max8,27bar
Flow Rate : 3,00 l/min
Capacity : 3000 Litres - Approx 6 months
Master Q.TY 105PCS Packaging:Singlebox



COD. WF033
WATER FILTER ADAPTABLE TO :
Bosch
Siemens
Ariston-Indesit
Hotpoint-Scholtés

Characteristics:
Material : Carbon Block
Operating Temp : Min 2°C Max 37,8°C
Working Pressure:Min2,07 bar Max8,27 bar
Flow Rate: 1,9 l/min
Capacity : 4200 Litres - Approx 6 months
Master Q.TY 24 PCS Packaging:Singlebox



COD. WF034
WATER FILTER ADAPTABLE TO :
Lg
Siemens
Bosch
Ariston
Daewoo

Characteristics :
Material : Active Granular Carbon
Operating Temp : Min 4,5°C Max 37,8°C
Working Pressure : Min 2,07bar Max 8,27 bar
Flow Rate : 2,8 l/min
Capacity : 5670 Litres -Approx 6 months
Master Q.TY 24 PCS Packaging: Single Box



COD. WF100
WATER FILTER ADAPTABLE TO :
Everpure
Culligan
(Alluminium Housing)

MEASURES: L 380 Ø 90 mm

Characteristics :

Material : Carbon Block
Operating Temp : Min 4°C Max 38°C
Working Pressure : Min 5 bar Max 8 bar
Flow Rate : 3,8 l/min
Capacity : 12000 Litres
Master Q.TY 15PCS Packaging: Bulk



COD. WF101
WATER FILTER ADAPTABLE TO:
Everpure
Culligan
(Plastic Housing)

MEASURES: L 360 Ø 90 mm

Characteristics :

Material : Carbon Block
Operating Temp : Min 4°C Max 38°C
Working Pressure : Min 5 bar Max 8 bar
Flow Rate : 3,8 l/min
Capacity : 12000 Litres
Master Q.TY 15PCS Packaging: Bulk



COD. WF103
WATER FILTER ADAPTABLE TO:
Everpure
Culligan
(Plastic Housing)

MEASURES: L 250 Ø 80 mm

Characteristics :

Material : Carbon Block
Operating Temp : Min 4°C Max 38°C
Working Pressure : Min 5 bar Max 8 bar
Flow Rate : 3,8 l/min
Capacity : 6000 Litres
Master Q.TY 18 PCS Packaging: Bulk



COD. WF102
ADAPTABLE TO:
Everpure
Culligan
Metal Head Tube for our Codes
WF 100/101/103

Characteristics:
Alluminium
Master Q.TY 50 PCS



Martech S.r.l.
Prato Della Valle , 61 31050 Povegliano (TV) ITALY
P.I. 04390680264 R.E.A. TV 346004
www.martechsrl.com info@martechsrl.com